

PUTOLINE OIL


Putoline Oil has developed into a worldwide, leading brand in the industry of motorbike lubricants and maintenance products. Its success is based on high quality in combination with a very comprehensive, attractive product line. In addition, the brand is marketed by an enthusiastic, competent team of people who have made service and accessibility their priorities.

Pulling a tin of oil just like that from the shelf and expecting that by chance, the oil is suitable for your application is no longer altogether true. Technically too many things have changed, e.g. engines become more powerful and fuel consumption and emission levels have to be minimised. This has a large impact on the lubricants industry, since new technological developments often ask for new specially developed lubricants. Lubricants have become "construction parts".

PUTOLINE PRODUCT SYMBOLS

NANO TECH ADDITIVE SYSTEM

Putoline Oil NANO TECH Motorcycle Oils, road and off road, are based on the latest revolutionary technology: nanotechnology. Putoline oil has taken the next step in lubrication technology by introducing this new product line. nano Tech motor oils offer guarantee full compatibility with modern clutch friction materials and provide unparalleled clutch engagement. It also guarantees outstanding wear protection for the engine and transmission, even under demanding race conditions.



TECHNOMOTO ADDITIVE SYSTEM

Technomoto Additive system is the first 4-stroke motor oil technology introduced by Putoline oil. Motorcycle engines faced a lot of problems being lubricated by "normal" automotive motor oils, like "clutch slip", cam lobe pitting" and excessive "gear train wear". The pure bike Technomoto Additive Technology was and still is the solution for these problems.



THE BIODEGRADABLE SELECTION

The Biodegradable selection logo defines those products that are biodegradable and therefore have the ability to break down safely and relatively quickly, by biological means, into the raw materials of nature and disappear into the environment.




MRH ADDITIVE SYSTEM

In addition to Technomoto, Putoline oil introduced the 2-stroke MrH Additive system. The main purpose of this Additive system is more power, cleaner more efficient burning and exceptional engine protection. MrH Additive system also guarantees high rev and temperature stability, exceptional film and shear strength, reduction in fuel consumption, no deposit build up on piston rings, power valve and exhaust system, excellent throttle response (even in wet conditions), long term optimised engine reliability and improved starting quality. MrH is race proven in lubricant technology. We borrowed the initials MrH in memory and out of respect for Mark Richard Hood, Managing Director of Putoline Distribution Ltd. (UK) and Director of Putoline oil B.V. (Holland). Mark died 28 April 2001 enjoying one of the things he loved most: riding bikes. Mark, you will always be in our minds!



ESTER TECH ADDITIVE SYSTEM

Putoline oil ester Tech motorcycle oils are developed especially for modern high-performance motorcycles, road and off road. The ester Tech Technology, developed and tested successfully in close cooperation with renowned racing teams, ensures a tremendously strong oil film, improved transmission and motor protection, exceptionally good "stay in grade" features and extremely low oil consumption. Because of the constant temperature features and the improved additives package, wear and tear is prevented more efficiently, even during critical cold starts.



THE PREMIERE SELECTION

The Putoline oil Premiere logo defines the product as the very best in its range. It signifies Putoline oil's outstanding attention to detail in product development, production techniques and consumer focus. These are the highest quality products in the range.



STRAWBERRY SCENTED

Has the world gone completely mad? strawberry scented 2-stroke oil? This logo stands for unparalleled engine protection by utilising special synthetic additives distinguished by its totally unique strawberry fragrance. Heads will turn when you pass on the street; all of a sudden there is a breath of fresh air.



PUTOLINE 4 - STROKE OILS

SUPER DX 4

Putoline Super DX4 four-stroke engine oil is formulated to meet the everincreasing demands of modern four-stroke engines. Its unique synthetic fortified formula exceeds the requirements of leading bike manufacturers and will provide complete engine protection under normal operating conditions.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
10W40, 20W50
specifications:
JASO MA, API SG



SPORT 4

Technomoto Sport 4 semi-synthetic four stroke motorcycle engine oil contains Putolines revolutionary "pure bike" TECHNOMOTO additive system. This ensures total compatibility with modern clutch friction material. Developed exclusively for touring & sport use.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
10W40, 15W50, 20W50
specifications:
JASO MA2, API SL



SYNTEC 4 TECHNOMOTO

Technomoto Syntec 4 synthetic four stroke motorcycle engine oil contains Putolines revolutionary "pure bike" TECHNOMOTO additive system. This ensures total compatibility with modern clutch friction material. Developed exclusively for superbike use.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
10W40, 15W50
specifications:
JASO MA2, API SL



SYNTEC 4 + ESTER TECH

A fully synthetic four-stroke competition engine oil containing Putoline's revolutionary "pure bike" ESTER TECH additive system. It ensures total compatibility with modern clutch friction material. Developed exclusively for road & racing motorcycle use. This guarantees extended engine life and complete component protection under arduous racing conditions.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
10W30, 10W40, 10W50, 10W60, 15W50
specifications:
JASO MA2, API SL



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
SUPER DX 4					
10W / 40	PO401	PO401A	PO401B	PO401C	PO401D
20W / 40			PO402B	PO402C	
20W / 50	PO403	PO403A	PO403B	PO403C	PO403D
SPORT 4					
10W / 40	PO410	PO410A	PO410B	PO410C	PO410D
15W / 50	PO411	PO411A	PO411B	PO411C	PO411D
20W / 50	PO412	PO412A	PO412B		PO412D
SYNTEC 4					
10W / 40	PO420	PO420A	PO420B	PO420C	PO420D
15W / 50	PO421	PO421A	PO421B	PO421C	PO421D
SYNTEC 4 +					
5W / 50	PO435	PO435A			
10W / 30	PO430	PO430A	PO430B		PO430D
10W / 40	PO431	PO431A	PO431B	PO431C	PO431D
10W / 50	PO432	PO432A	PO432C	PO432C	PO432D
10W / 60	PO433	PO433A	PO433B	PO433C	PO433D
15W / 50	PO434	PO434A	PO434B	PO434C	PO434D



PUTOLINE 4 - STROKE OILS

FORMULA V TWIN

Putoline Formula V-Twin four-stroke engine oil is formulated to meet the everincreasing demands of modern and classic V twin four-stroke engines. Its unique semi-synthetic formula exceeds the requirements of leading bike manufacturers and will provide complete engine protection under normal operating conditions.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
20W40, 20W50
specifications:
JASo MA, API sG



NANO TECH 4+

Putoline Oil Nano Tech 4+ is the most advanced, 100% synthetic four stroke oil ever produced by Putoline Oil. These motor oils guarantee full compatibility with modern clutch friction materials and provide unparalleled clutch engagement and is extremely suitable for both road motorcycles and race motorcycles, performing under the most extreme race conditions.

Available packaging:
1L, 4L, 20L, 60L & 200L
Available viscosities:
10W40, 10W50, 10W60, 15W50, 5W40
specifications:
JASO, MA-2, API, SM



RACING OIL

Racing Oil is a pure finest quality castor oil with special additives. Developed for Grasstrack and Speedway Racing. It's special formulation allows it to be mixed with Methanol, Nitromethane, as well as conventional fuel.

Available packaging:
1L & 20L
Available viscosities:
SAE50
specifications:



SPEEDWAY BLUE

Putoline Speedway Blue is the ultimate speedway oil. The purest and finest quality Castor 4-stroke racing oil with additives. Designed especially for competition Speedway & Grasstrack engines.

Available packaging:
1L
Available viscosities:
SAE50
specifications:



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
FORMULA V - TWIN 20W / 50	PO440	PO440A	PO440B	PO440C	PO440D
GENUINE V - TWIN 20W / 50	PO443				
SAE50	PO444				
RACING OIL	PO441	PO441A	PO441B		
SPEEDWAY BLUE	PO442				
NANO TECH 4 + 5W / 40	PO463	PO463A	PO463B		
10W / 40	PO460	PO460A			
10W / 50	PO461	PO461A			
10W / 60	PO464	PO464A			
15W / 50	PO462	PO462A			

GENUINE V TWIN

**** NEW ****

Genuine V-Twin Motorcycle Oil SAE 20W-50 is a fully synthetic oil specifically developed for all V-Twin motorcycles. This product is suitable for models with combined or separate lubrication for the engine, gearbox and primary chain case where SAE 20W-50 engine oil is specified.

specifications:
JASO MA2



PUTOLINE 2 - STROKE OILS

TT LIGHT

TT Light is a modern clean burning, low smoke synthetic 2-stroke oil ideally suited for small capacity machines used under normal road conditions. TT Light meets the latest JASO performance requirements. TT Light will mix with other 2-stroke oils.

Available packaging:
1L, 4L, 20L & 60L
specifications:
JASO FD/API TC/TISI



TT SPORT

TT Sport is a clean burning high performance 2-stroke oil that will minimise smoke, reduce carbon deposits, prevent plug fouling and extend engine component life.

Available packaging:
125ml, 1L, 4L, 20L & 60L
specifications:
JASO FD/API TC/TISI



TTX INJECTOR

TTX is the ultimate, 100% synthetic race developed 2-stroke oil, recommended for high performance street bike applications where a 100% synthetic oil is specified. TTX unique, LOW SMOKE, low carbon formula provides ultra clean burning protection for all engine components under extreme operating conditions.

Available packaging:
1L, 20L & 60L
specifications:
JASO FD/API TC+/- ISO-L-EGD/TISI/PIAGGIO HEXAGON



ESTER TECH RS 959

Ester Tech RS 959 represents the very latest in two-stroke racing oil technology, road, kart and scooter. This 100% synthetic oil contains Putoline's revolutionary "pure bike" ESTER TECH additive system, which ensure that exceptional film strength and load-carrying properties are achieved and maintained in even the most extreme racing conditions.

Available packaging:
1L
specifications:
JASO FD/API TC+/- ISO-L-EGD/TISI/PIAGGIO HEXAGON



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
TT LIGHT	PO201	PO201A	PO201B	PO201C	PO201D
TT SPORT	PO210	PO210A	PO210B	PO210C	PO210D
TTX	PO220	PO220A	PO220B		
RS 595	PO240		PO240B		



PUTOLINE 2 STROKE OILS - SCOOTER OILS

MX 5

MX5 is a sophisticated synthetic 2-Stroke off road oil recommended for engines used in Motocross and Enduro. Extensively tested on tracks around the world, MX5 provides the ultimate in component protection. Its synthetic composition prevents the build up of harmful carbon deposits on pistons, cylinders and power valve systems, and at the same time provides outstanding film strength and load bearing properties.

Available packaging:
1L, 4L & 60L
specifications:
API, TC, JASO, FD



TT AQUA

TT Aqua is a modern 2-stroke oil recommended for use in standard and modified Jet Skis and other personal watercraft. Its unique synthetic based formula contains specially selected additives that prevent corrosion and provide total protection for all engine components. TT Aqua exceeds performance specifications laid down by the engine manufacturers.

Available packaging:
1L & 20L
specifications:
NMMA (BIA), TC-W3



TT SCOOTER

TT Scooter is a LOW SMOKE clean burning high performance 2-stroke scooter oil that will minimise smoke, reduce carbon deposits, prevent plug fouling and extend engine component life. TT Scooter is recommended for high performance road use. Its suitable for pre-mix and autolube injection systems. Recommended mixing ratio: 2-4%.

Available packaging:
125ml, 0.5L, 1L, 4L, 20L, 60L & 200L
specifications:
JASO FD/API TC/TISI



TT SCOOTER SCENTED

TT Scooter Scented is a LOW SMOKE clean burning high performance Strawberry scented 2-stroke scooter oil that will minimise smoke, reduce carbon deposits, prevent plug fouling and extend engine component life. TT Scooter Scented is recommended for high performance road use. Its suitable for pre-mix and autolube injection systems. Recommended mixing ratio: 2-4%.

Available packaging:
1L & 20L
specifications:
JASO FD/API TC/TISI



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
MX 5	PO270				
TT AQUA	PO250				
TT SCOOTER	PO260	PO260A	PO260B	PO260C	PO260D
125ml Tube	PO260F				
500ml Bottle	PO260G				
TT SCOOTER scented	PO261		PO261B		



PUTOLINE SCOOTER OILS

TT SCOOTER +

TT Scooter + demands of today's race replica scooters. its unique formulation provides outstanding film strength and at the same time considerably reduces harmful carbon build up. TT Scooter + synthetic base ensures a smooth, crisp engine performance particularly under the 'stop start' conditions of heavy urban use. TT Scooter + surpasses the requirements for 2-stroke oil as laid down by manufacturers. TT Scooter + is suitable for pre-mix and autolube injection systems. Recommended mixing ratio: 2-4%.

Available packaging:

1L, 4L, 20L, 60L & 200L

specifications:

JASO FD/API TC+/ ISO-L-EGD/TISI/PIAGGIO HEXAGON



CLASSIC SCOOTER

Putoline Oil Classic Scooter has been developed for classic 2-stroke scooters and will provide complete protection for standard and mildly tuned engines under normal use.

Available packaging:

1L

specifications:

API TC, JASO FD, ISO-L-EGD



CLASSIC SCOOTER X

Classic Scooter-X has been developed to provide complete protection for classic two stroke scooter engines, with cast iron or aluminium nikasil cylinders. It is especially formulated for high performance road and competition use and is suitable for Lambrettas, Vespas and all two stroke classic and modern Scooters. Classic Scooter-X has a unique synthetic formulation that provides outstanding oil film strength and also reduces harmful carbon deposits preventing spark plug fouling and extending component life.

Available packaging:

1L

specifications:

API TC, JASO FD, ISO-L-EGD, HUSQVARNA, PIAGGIO



SCOOTER 4T

Scooter 4T is formulated from the very finest, especially selected base oils and is fortified using advanced synthetic additives. these synthetic additives maintain a high degree of engine cleanliness and performance at all temperatures.

Available packaging:

1L, 4L, 20L, 60L & 200L

Available viscosities:

10W40

specifications:

JASO MA, API SL



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
TT SCOOTER +	PO262	PO262A	PO262B	PO262C	
CLASSIC SCOOTER	PO263A				
CLASSIC SCOOTER X	PO263				
SCOOTER 4T 10W/40	PO470		PO470B	PO470C	



PUTOLINE SCOOTER OILS

TECHNOMOTO SCOOTER 4T

Scooter 4T is a special synthetic four-stroke engine oil specially created for use in all modern four-stroke scooters. Its unique formulation provides the greater protection needed in the "stop start" conditions found in heavy urban traffic.

Available packaging:
1L, 4L & 200L
Available viscosities:
5W40
specifications:
JASO MA2



ESTER TECH SCOOTER 4+

A fully synthetic four-stroke competition engine oil containing Putoline's revolutionary "pure bike" ESTER TECH additive system. It ensures total compatibility with modern clutch friction material. Developed exclusively for road & racing motorcycle use. This guarantees extended engine life and complete component protection under arduous racing conditions.

Available packaging:
1L, 20L, 60L & 200L
Available viscosities:
5W40
specifications:
JASO, MA2, API SL



SCOOTER GEAR OIL 30 & OIL 90

Two-stroke scooters lubricate the bore and crank through the petrol/oil mixture. However, they require a dedicated gear oil to protect and lubricate the gearbox and transmission. Putoline's Scooter Gear Oil is suitable for use in all modern scooters where a SAE30 or SAE 90 oil is recommended.

SPECIAL SCOOTER OIL

Special Scooter Gear Oil. Two-stroke scooters lubricate the bore and crank through the petrol/oil mixture. However, they require a dedicated gear oil to protect and lubricate the gearbox and transmission. Putoline's Scooter Gear Oil is suitable for use in all modern scooters where a SAE75W90 oil is recommended.

Available packaging SAE30: **500ml, 1L & 20L**
Available packaging SAE90: **500ml, 1L & 20L**
Available packaging Special Scooter Oil: **125ml**
Specifications Special Scooter Oil: **API GL-5**



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
4T TECHNOMOTO					
5W / 40	PO472		PO472B	PO470C	
4T + ESTER TECH					
5W / 40	PO471		PO471B	PO471C	PO471D

ORDER REFS	125 ML	500 ML	1 LTR	4 LTR	20 LTR
SCOOTER GEAR OILS					
75W /90 Special	POG11				
S.A.E. 30		POG12	POG12A		POG12B
S.A.E. 90		POG13			POG13B



PUTOLINE GEAR OILS

GEAR LIGHT

Gear Light has been specially developed for today's motorcycle gearboxes, for use on the road and racetrack. Its light synthetic-based formulation ensures complete protection for all gearbox components and ensures a smooth clutch action at all times, particularly when cold.Specifications: **API GL-1**

GEAR MEDIUM

Gear Medium provides an outstanding degree of component protection in both road and race applications. Recommended for use in warmer climates, with ambient temperatures above 20 degrees centigrade, Gear Medium will reduce overall friction, thereby releasing the maximum power possible at the rear wheel. Specifications: **API GL-1**

GEAR HEAVY

Gear Heavy utilises EP (extreme pressure) additives and is recommended for all shaft drive units where SAE 80W/90 is specified. Specifications: **API GL-5 Mil-L-2105D ZF TE-ML-05A/16B/17B/19B/21A**

GP 10

Putoline GP10 gear oil represents the very latest in gear oil technology. It ensures a substantial reduction in friction loss and the heat it generates, thereby releasing maximum power at the rear wheel. Although Putoline GP gear oils have been developed specifically for racing applications, it can be used in road machines also. Specifications: **API GL-4**

GP 80

GP80 gear oil represents the very latest in gear oil technology. It ensures a substantial reduction in friction loss and the heat it generates, thereby releasing maximum power at the rear wheel. Although Putoline GP gear oils have been developed specifically for racing applications, it can be used in road machines also. Specifications: **API GL-4**

RS 75

Putoline RS 75 Racing Gear Oil. This unique 100% synthetic gear oil is recommended for two-stroke and 4-stroke engine gearboxes used in Grand Prix racing. Special additives protect all gearbox components from "shear" and "shock" loading experienced in extreme racing conditions. Specifications: **API GL-4/5**

ATF

ATF is a high-quality oil for use in automatic, synchromesh, powershift transmissions, gearboxes, torque converters, servo systems and hydraulic clutches. Its good frictional properties, high oxidation and thermal stability combat friction and guarantee long life. ATF is a gear nand transmission lubricant which can be used in certain two-stroke gearbox applications. Refer to owners manual for specific advice. Specifications: **GM Dexron III G-34198(Performance level IIIH)**

GEAR X

80w/140 Gear oil for use in in final drive and extreme conditions, as specified by Moto Guzzi etc

SP GEAR OIL

Putoline SP Gear Oil is a high quality Total Drive Line gear oil, specially developed for gearboxes, final drives and differentials of modern motorcycles (Road & Off Road), scooters and quads. SP Gear Oil is suitable for both recreational and competition use. The synthetic formulation provides excellent protection for all gearbox components and ensures a smooth clutch action under all temperature conditions. Specifications: **API GL-3/GL-4/GL-5/MT-1**

NANO TRANS GP

Putoline Nano Trans GP with Putoline Oil's "pure bike" Nano Tech additive system is the most advanced transmission oil for competitive Grand Prix 2-stroke and 4-stroke transmissions ever produced by Putoline Oil. The combination of Nano Tech additives and 100% synthetic base oils provides excellent wear protection for the transmission. The life cycle of the clutch plates is substantially extended, leading to unsurpassed effectiveness and accuracy when engaging the clutch for top performance throughout the entire race. Nano Trans GP has a significantly longer life cycle compared to conventional products, which makes it possible at least to halve standard oil change intervals.

GENUINE V-TWIN GEARBOX OIL ****NEW**

Genuine V-Twin Gearbox Oil is a premium quality synthetic transmission oil specifically developed for V-Twin motorcycles with separate lubrication for the gearbox and primary chain case.



ORDER REFS	1 LTR	4 LTR	20 LTR	60 LTR	200 LTR
LIGHT	POG01	POG01A	POG01B	POG01C	
MEDIUM	POG02	POG02A	POG02B	POG02C	
HEAVY	POG03	POG03A	POG03B		
GP10	POG04	POG04A	POG04B		
GP80	POG05	POG05A	POG05B		
RS75	POG06		POG06B		
ATF	POG07		POG07B		
SP GEAR	POG08		POG08B		
NANO-TRANS GP	POG09				
GEAR X		POG10			
GENUINE V-TWIN	POG15				



PUTOLINE SUSPENSION OILS & BRAKE FLUIDS

FORK OIL LIGHT / MEDIUM / HEAVY

Mineral SAE 5 (Light), SAE10 (Medium) & SAE20 (heavy) front fork oil for normal road use.

Recommended for scooters and mopeds. Suitable for conventional as well as up-side down front forks.

HPX

Putoline HPX suspension fluid is formulated from special, highly refined, synthetic blended base oils. The addition of the most advanced additives produces a high-tech, top quality product for use Grand-Prix level. HPX suspension fluid prevents corrosion, oxidation, leaking seal rings and foaming. HPX suspension fluid particularly suitable for machines used in high performance street, Moto-X, Road Racing and Enduro applications, whether is cross country races, road racing, enduro racing, trails or off-the-road racing.

FORMULA GP

Formula GP Fork Oil has been developed for pure competition purposes. Using the very latest in additive technology. These special additives give the oil excellent lubricating properties, reducing friction and therefore improving contact, response and grip between tyre and track. The additives prevent foaming, therefore damping stability is guaranteed.

The viscosity of the oil remains stable throughout the whole temperature range and eliminates damping loss.

GPR6 RACING

GPR 6 Racing Shock Oil has been developed for pure competition purposes using the very latest in additive technology. These special additives, give the oil excellent lubricating properties, reducing friction and therefore improving contact between tyre and track. These additives also prevent foaming therefore making it easier and quicker to bleed the shock-absorber. The viscosity of the oil remains stable throughout the whole temperature range and eliminates damping loss.



ORDER REFS	500ML	1 LTR	20 LTR
LIGHT S.A.E. 5	POF01		POF01A
MEDIUM S.A.E. 10	POF02		POF02A
HEAVY S.A.E. 15	POF03		POF03A
HPX			
2.5W		POF10	POF10A
5W		POF11	POF11A
7.5W		POF12	POF12A
10W		POF13	POF13A
15W		POF14	POF14A
20W		POF15	POF15A
30W		POF16	POF16A
FORMULA GP			
2.5W		POF20	
5W		POF21	POF21A
7.5W		POF22	POF22A
10W		POF23	
GPR6 RACING			
2.5W		POF30	POF30A
3.5W		POF31	POF31A



PUTOLINE BRAKE FLUIDS

DOT 4 BRAKE FLUID

Putoline DOT 4 High Performance Brake Fluid is a technically advanced synthetic brake fluid, which meets the latest and most stringent requirements as laid down by manufacturers worldwide. Can be mixed with synthetic DOT 3 and 5.1.

Specifications: **SAE J 1703 FMVSS DOT 4**

DOT 4 RACING BRAKE FLUID

Putoline Ultimate Racing Brake Fluid has been designed exclusively for motorcycle competition use. Its extremely high dry- and wet boiling point prevent vapour bubble formation and therefore brake fading even under extreme braking loads. It is technically so advanced that it exceeds the performance of DOT 5.1 by far. It cures a sponge feel in the brake lever and improves braking response. Also, suitable for ABS.

DOT 5.1 BRAKE FLUID

Putoline DOT 5.1 High Performance Brake Fluid is a technically advanced synthetic brake fluid, which meets the latest and most stringent requirements as laid down by manufacturers worldwide. Can be mixed with synthetic DOT 3 and 4.

Specifications: **SAE J 1703 FMVSS DOT 5.1**

HYDRAULIC CLUTCH FLUID

Putoline Clutch Fluid is suitable for among others Magura where a mineral clutch fluid is required.

DOT 5 SILICON BRAKE FLUID

Putoline DOT 5 SILICON Brake Fluid is suitable for all high performance and competition applications where a silicon brake fluid is specified. It's unique formulation and wide temperature range (-40 to +260°C) guarantees optimum braking efficiency and performance is achieved. Putoline DOT 5 Silicon brake fluid will extend the life of the braking system and will not harm painted surfaces. Can be used in hydraulic clutch systems if required. Thoroughly clean the braking system with white spirit before filling. Do not mix with other brake fluids.

Renew brake fluid every two years, irrespective of the mileage covered during the period.
If in doubt, consult your owners manual for recommended brake fluid specifications.

ORDER REFS	100 ML	250 ML	500 ML	1 LTR
DOT 4		POBF01	POBF01A	POBF02
DOT 4 RACING		POBF03		
DOT 5.1		POBF04		POBF05
DOT 5 SILICON		POBF06		
MINERAL CLUTCH	POCF01			

PUTOLINE MAINTENANCE PRODUCTS

O/X-RING SPRAY

O/X-Ring Spray has been specially developed for O/X-Ring sealed chains. It's light, penetrative, anti-corrosive formulation ensures complete component protection in all weathers and will reduce power loss throughout the drive system by providing excellent lubrication to all moving parts. Used regularly O/X-Ring Spray will considerably extend chain and sprocket life. For the best results apply liberally to chain whilst the motorcycle is on it's main stand and the rear wheel is rotated manually so to ensure complete coverage. Shake well before using!

DX 11 SPRAY

DX11 Synthetic Chain Lube for high performance road and off road use. DX11's unique water repellent, non-fling formula penetrates deep into the chain, coating & protecting to a super tacky, non-fling finish. With outstanding protection against corrosion and wear, DX11 will reduce overall friction when used regularly. DX11 is clean to use and is suitable for standard, O-Ring & X-Ring chains.



TECH CHAIN SPRAY (AE)

Putoline Tech Chain (Ceramic Wax) has been chemically engineered to represent the very latest in chain preparation and maintenance. Tech Chain utilises a totally unique ceramic wax formulation, which combined with a sophisticated selection of additives including PTFE, provides truly outstanding protection for your chain in all operating conditions. Suitable for both O-ring and non O-ring chains used in either competition or performance road applications.



ORDER REFS	100 ML	200 ML	500 ML	600 ML	1 Kg
O-RING		POC01	POCH02		
DX11				POCH04	
TECH CHAIN	POCH05		POCH06		
CHAIN WAX					POCH08

OCTANE BOOSTER

Putoline Octane Booster is the perfect non-mechanical aid to increased engine performance. Formulated using special lead free synthetic additives, Putoline Octane Booster increases horse power and acceleration, reduces engine "knock", improves combustion and reduces heat build up in both two- and four-stroke engines.

FUEL CONDITIONER

GB - Putoline Oil Fuel Conditioner cleans, protects and lubricates the complete fuel system. It removes deposits from carburettors, injectors, valves and combustion chambers. By neutralising condensation it prevents water build-up in fuel tanks. The complete fuel system is also protected from corrosion. Fuel Conditioner restores performance, decreases fuel consumption giving a more consistent engine idling speed and also decreases the amount of harmful exhaust fumes. Engines are started more easily, it is also chlorine-free and harmless to catalytic converters. Helps prevent carb icing.

FUEL STABILIZER

Putoline Oil Fuel Stabilizer prevents petrol oxidation. When storing your motorcycle or quad for long periods (more than 1 month) there is a risk that the remaining fuel in the tank can oxidize. This will cause gum and varnish build-up in the petrol-tank as well as in crucial parts in the carburettor. As a direct result this can cause starting problems and also prevent the engine from idling efficiently. Putoline Fuel Stabilizer will prevent these kind of problems occurring.



RACING GREASE

Racing Grease is a special high quality EP2 lithium "complex" grease. It has excelent mechanical stability and due to its fine structure there will be no oil separation. It is waterproof and therefore very suitable for all race applications.

Specifications: **N.L.G.I. Klasse 2 DIN 51825, KP2N-30**

WHITE ACTION GREASE + PTFE

Top quality lithium complex white grease with a large percentage of PTFE for excellent lubrication and to reduce friction. Many uses including sealing Putoline Action Filter to the air box of all off road bikes. Can also be used for the lubrication of wheel bearings and wheel axles, steering head stem bearings and swing-arm bearing assemblies on all off road and road bikes, quads, scooters karts and snowmobiles.

Specifications: **N.L.G.I. Klasse 2 DIN 51 502, KP 2 N-25**



CERAMIC GREASE

Ceramic grease is a high quality anti seize paste and high temperature lubricant. This product is very suitable for use in assembly/disassembly of: components of ABS systems, brake components, spark plugs, exhaust components, (bolt)connectors, joints of various metals (e.g. steel/aluminium). Ceramic grease is also very suitable for lubrication of applications which are exposed to very high temperatures and/or pressures.



DESCRIPTION		ORDER REF
FUEL SYSTEM		
OCTANE BOOSTER	1 Litre	POFU01
FUEL CONDITIONER	220 ml	POFU02
FUEL STABILIZER	220 ml	POFU03
GREASE		
RACING GREASE	100gr	POGR02
RACING GREASE	600 gr	POGR05
WHITE GREASE + PTFE	65 gr	POGR07
WHITE GREASE + PTFE	100 gr	POGR03
WHITE GREASE + PTFE	600 gr	POGR06
CERAMIC GREASE	100 gr	POGR01



PUTOLINE MAINTENANCE PRODUCTS

COOLANT NF

Ready for use organic cooling liquid that provides frost protection down to -36°C. Safe for aluminium and magnesium parts. Suitable for all off road and road bikes, quads, scooters, karts and snowmobiles.

ICE COOLER

Silicate free long-life coolant based on Nano Technology and Mono Propylene Glycol (MPG). It offers perfect protection for all types of metal used in modern motorcycle race engines and cooling systems. Ice cooler is fully compatible with all water pump seals and gaskets. It ensures a long life-span by the use of silicate-free techniques and provides excellent pour-point-lowering properties. It is non-toxic, biodegradable and not harmful to the environment. Due to a special formulation Ice Cooler prevents engine overheating and reduces operating temperatures under race conditions, allowing continuous high power output and increased reliability. This product is highly suitable for all extreme Off-Road and race use. Ice cooler offers frost protection up to a minimum of -26°C.

BRAKE CLEANER SPRAY

Strong fast acting aerosol for cleaning and degreasing of all brake parts, such as master cylinders, callipers and discs. Leaves no residue on cleaned components

CARBURETTOR CLEANER SPRAY

Formulated using a complex mix of special solvents, and is recommended for all carburettors types. Putoline Carburettor Cleaner will remove varnish and gum deposits from choke valves, needle valves and jets. Putoline Carburettor Cleaner will restore engine efficiency by eliminating rough idling, and stalling and will improve fuel economy.

CONTACT CLEANER SPRAY (AE)

Specially formulated for cleaning and degreasing: spark plugs, contact breakers and all other electrical items. Putoline Contact Cleaner has a high powered spray action that ensures complete cleaning of difficult or non-assemble items. A special additive prevents corrosion.

CHAIN & ENGINE DEGREASER SPRAY

Especially developed for motorcycle use. Its unique fast acting formulation will remove heavy oil and grease from all areas including chains, sprockets, engines and frames. Easy & quick to use, suitable for all chrome, painted, rubber and plastic surfaces, water-soluble & leaves no residue.

SILICON SPRAY (AE)

Restores colour to that showroom like finish to a wide variety of plastic and painted surfaces and at the same time ensures future cleaning is made easier. Its water-repellent formulation makes it the ideal choice when protecting electrical components from ingress of water.

PENETRATING 1001 SPRAY

1001 Spray with its strong penetrating capacity has many applications. It penetrates and lubricates, it displaces and repels moisture. It cleans and protects all metals. Through its special composition, penetrating spray can be used on motorcycles, scooters, bicycles, jet-skis, boats, cars, locks, hinges, grassmowers, engines and for lubricating purposes at home.

PPF-52 SPRAY

Putoline PPF-52 places a strong uniform protective layer over all bike parts. Whether they are made of metal, plastic or rubber, PPF-52 protects against corrosion in salty conditions. Displaces water after washing, lubricates, revitalises parts and also provides a nice deep shine. Suitable for Road and Off Road bikes.

PTFE CABLE GUARD SPRAY (AE)

Multi purpose high performance lubricant. It's compound will protect for all moving metal and plastic parts. It provides long-term lubrication and protection even under extreme pressure and heavy loads.

RS1 WAX POLISH SPRAY (AE)

Silicon free foam wax polish with carnauba wax creates a long lasting deep shine to all painted surfaces. Recommended on all aluminium, carbon, titanium and painted surfaces on helmets, off road-and roadbikes, quads, scooters, karting, bicycles, snowmobiles and watercraft.

PUT OFF

Putoline Put Off Bike Cleaner is an ultra efficient total cleaner for motorcycles, quads, bicycles, etc. The concentrated formula, containing the latest Nanotech components, guarantees a safe and powerful cleaning and provides long-lasting protection. It is also suitable for the most sensitive surfaces (magnesium, anodized elements, aluminium, etc.) This product prevents adhesion of dirt and simplifies cleaning.

Application: Spray the cleaner on surface and wait for 5 minutes before removing it by thorough rinsing with pressurized water jet. Remove persistent dirt with brush or sponge. Do not use on unprotected reflecting surfaces.

WIZZ WASH & WAX

A brand new unique product especially developed to clear and shine motorcycles and scooters. When used regularly, it will not be necessary to wash your bike or scooter with water. Its unique formulation leaves a long lasting all over protection shine.

TYRE TEC TYRE SOAP

High quality universal tyre mounting soap

BATTERY ACID

Suitable acid for all battery initial filling.



DESCRIPTION		ORDER REF
COOLANT NF	1 Litre	POC01
COOLANT NF	4 Litre	POC01A
COOLANT NF	20 Litre	POC01B
COOLANT NF	60 Litre	POC01C
ICE COOLER	2 Litre	POC02
BRAKE CLEANER	500ml AE	POBC01
CARBURETTOR CLEANER	500ml AE	POBC02
CONTACT CLEANER	500ml AE	POBC03
CHAIN & ENGINE DEGREASER	500ml AE	POBC04
CHAIN & ENGINE DEGREASER	1 Litre	POBC05
SILICON SPRAY	500ml AE	POBC06
1001 PENETRATING SPRAY	500ml AE	POBC07
PPF-52	500ml AE	POBC08
PTFE CABLE GUARD	500ml AE	POBC09
RS1 WAX POLISH	500ml AE	POBC10
PUT OFF	1 Litre	POBC11
WIZZ WASH & WAX	1 Litre	POBC12
TYRE TEC TYRE SOAP	3.5 Kg	POT02
ACID	1 Litre	POACID

PUTOLINE WORKSHOP AND SHOWROOM

DESCRIPTION		ORDER REF
HAND CLEANSER		
LEMON SCENT	600 gr	POHC02
LEMON SCENT	4.5 Kg	POHC03
DISPLAY STANDS		
DISPLAY STAND Small		PODS
PUTOLINE OIL MAT		POMAT
WORKSHOP JUGS 2 & 3 Ltr		POW03
OVERALLS		
MECHANICS	Small	POW01
	Medium	POW01A
	Large	POW01B
	XLarge	POW01C
RACE TEC	Small	POW02
	Medium	POW02A
	Large	POW02B
	XLarge	POW02C
TROUSERS		
MACH -II TROUSERS	Small	POW04
	Medium	POW04A
	Large	POW04B
	XLarge	POW04B



PAINTS & LUBRICANTS



HAND CLEANSER

Putoline Hand Cleanser Yellow. The addition of natural ingredients makes this handcleanser extra effective. Harmless to the skin. Water soluble and does not block water waste pipes. Rub handcleanser on dry hands until dirt loosens. Rinse off with water or wipe off with a towel. Store in a cool, but frost-free place. Approved by the Royal Institute of Public Health & Hygiene



PAINTS

PRIMERS

Easy to apply for super smooth finish. Forms the ideal base for all automotive top coats. A consistent fast and even spray rate, quick coverage, quick drying. Small paint particles, no run, no powdery finish.

GLOSS BLACK PAINT

Easy to apply for super smooth finish. A consistent fast and even spray rate, quick coverage, quick drying. Small paint particles, no run, no powdery finish. Deep brilliant shine from gloss paint

SATIN MATT BLACK PAINT

Easy to apply for super smooth finish. A consistent fast and even spray rate, quick coverage, quick drying. Small paint particles, no run, no powdery finish. True matt finish from matt paints,

ENGINE ENAMEL PAINT

For use on cylinder heads. Tough, durable and hard wearing. Quick drying, no need to use primer. Resists solvents and additives. Ideal for racing, customising and high performance applications.

VERY HIGH TEMPERATURE PAINT

Ideal for areas of intense heat, manifolds, exhausts. Protects at temperatures up to 1110°F, 600°C. Also suitable for barbecue, boilers, fireplaces and stoves.

MOTORCYCLE HEAT DISPERSANT PAINT

Resists solvents. Protects up to 300 C. Gives a durable protective finish. Matt Black

TOUGH BLACK

Specially developed for high performance applications. Provides a tough and scratch-proof surface. Oil, petrol and grease resistant. Satin Black ideal anti-glare finishes for all metal surfaces.

CYLINDER BLACK

Satin finish heat resistant paint for exhaust systems, engine cases, cylinder heads etc.

5 WHEEL SILVER PAINT

High quality, brand leading wheel paint range. Compatible with leading car manufacturers' original colours

CLEAR LACQUER ACRYLIC

Universal lacquer, suitable for use over any car paint-work. Provides a high gloss, smooth finish. Easy to use and fast drying



DESCRIPTION		ORDER REF
Grey Primer	500ml	SPGP500
White Primer	150ml	SPWP150
Gloss Black	500ml	SPBG500
Satin Matt Black	150ml	SPMB150
Satin Matt Black	500ml	SPMB500
Engine Enamel Black Gloss	500ml	VHTBG400
Engine Enamel Matt Black	500ml	VHTK400
Very High Temperature Paint	500ml	VHTMB400
Heat Dispersant Paint Matt Black	500ml	VHTHD400
Tough Black	500ml	SPTK500
Cylinder Black	100ml	HEPB
Cylinder Black	250ml	HEPB250
5 Wheel Silver	500ml	SPWS500
Clear Laquer Acrylic	500ml	SPCL500





DESCRIPTION	ORDER REF
Gold	PEN1
White	PEN2
Silver	PEN3
Blue	PEN4
Green	PEN5
Red	PEN6
Yellow	PEN7
Orange	PEN8
Pink	PEN9
Grey	PEN10
Black	PEN11
Tyre Gloss 175ml	PENTG



TYRE PEN FROM TYREART:

- A liquid paint tyre marker which has been tried and tested for several years
- Widely acclaimed as the most effective method of writing on or decorating tyres
- Used by the professionals for brand name display
- Enhances the appearance of any vehicle by creating an individual "look" that's unique
- Supplied on a full colour blister card with instructions for use on reverse

TYRE GLOSS From Tyreart:

- Specially formulated to enhance the appearance of any tyre
- Fully compatible with the Tyreart TYRE PEN (conventional "Black Enhancers" aren't)
- Non-toxic and solvent free
- User friendly and environment-friendly
- Retains its glossy appearance long after others have faded
- Dries to leave no oily residue

One simple applications by brush is all that's needed.
***TYRE GLOSS** is dry in 30 minutes and the sidewall of any tyre can then be lettered and coloured according to individual taste!
TYRE GLOSS also works well on black plastic bumpers - they come up looking new!
TYRE GLOSS is supplied in a wide-neck, 175ml tub, wrapped in an attractive, full colour, printed label containing complete instructions for use.



LUBES

GT85

Non-sticky Lubrication, Effective Penetrator, Water Displacer, Rustproofers, With PTFE

TF2

The No.1 worldwide best selling Teflon® surface protector spray. Teflon® surface protector coating with high lubricity. Built-in repellant to disperse water. High penetration into bearing surfaces of chain. Repels dirt and cleans surfaces leaving protective film. Also suitable for motorcycles, cars, boats, etc

WD40

WD-40 protects metal from rust and corrosion, penetrates stuck or jammed parts, displaces moisture, lubricates just about anything. WD-40 is also great when it comes to cleaning grease, grime, and other marks from most surfaces. The Five Basic Functions
CLEANS, PROTECTS, LUBRICATES, PENETRATES & DISPLACES MOISTURE



DESCRIPTION		ORDER REF
WD40	250ml	WD40200
WD40	450ml	WD40400
GT85	400ml	GT85
TF2	400ml	TF2



MAINTENANCE & VALETING

BIKE INSTANT GASKET

Premium quality clear silicone providing a virtually invisible seal/joint

BLUE GASKET SEALANT

Multi purpose blue gasket sealant for sealing metal - to - metal joints where a gasket is not required, use on cylinder heads, sumps, pumps, gearboxes, axles, hydraulic and pneumatic assemblies

LOCK THREAD & SEAL

Prevents loosening of nuts, bolts and fastenings through vibration. Removable with normal tools.

PETRO PATCH PUTTY

A fast acting metal epoxy putty which repairs leaks fast on petrol, oil, diesel and water tanks, burst pipes and leaking radiators.

SUPER GLUE

Recommended for bonding pottery, plastics, wood, rubber, metal and leather.

COPPER GREASE

Ensures excellent protection for metal parts against heat, seizure, rust, corrosion, water and acid.

EXHAUST ASSEMBLY PASTE

Asbestos free formulation lubricates and seals joints during assembly. Cartridge pack also available.

GOOP

GOOP is permanently installed in the tyre or tube before any puncture occurs. As the wheel rotates Goop is evenly distributed around inside the tyre or tube ready to seal. When a puncture does occur the escaping air pressure forces Goop into the hole immediately forming a strong airtight seal. Goop will seal punctures upto 1/4" dia.

TYREWELD

Seals and inflates punctured tyres instantly. Water based latex formula does not damage tyre. Formula can be washed out using warm water prior to tyre repair. Eliminates the need for immediate tyre change. Approved by National Tyre Distributors association. Unique controllable valve.

MOTORCYCLE TEMPORARY TYRE REPAIR

Provides a safe and rapid temporary repair. Unique formulation re-inflates the tyre and seals the hole caused by the puncture.

DUCT TAPE

BLACK 50M x 50cm



DESCRIPTION		ORDER REF
Bike Instant Gasket	40g	HEBIG
Blue Gasket Sealant (12 per Box)	40g	SOHY
Lock Thread & Seal	3ml	HETOR
Petro Patch Putty	50g	PPP50
Super Glue	3g	HESG
Copper Grease	20g	CG20
Exhaust Assembly Paste	140g	FG1
Goop	250ml	MG250
Goop	500ml	MG500
Tyreweld	400ml	TW400
Temporary Tyre Repair	300ml	HMC4
Duct Tape	50m	DTK1



MAINTENANCE & VALETING

BRAKE CLEANER

An effective non-trich formulation, removes dirt, grease, brake fluid and brake lining dust from brake systems

CARB CLEANER

Improves engine efficiency and fuel economy by removing varnish and gum residues from carburettors and automatic chokes

GUNK ENGINE DEGREASANT

A powerful and effective degreaser that can be used in a wide range of cleaning applications including automotive, industrial and agricultural. Gunk is the world's leading brand of water soluble engine degreasant.

AUTOSOL

Brilliant chrome, aluminium and metal polish. Cleans, polishes and protects virtually all metals.

AUTOSOL LIQUID CHROME CLEANER

Especially useful for motorbikes and cycles

AUTOSOL MOTORCYCLE DIRTLIFTER

Removes stubborn grease, mud, traffic film and insect remains. Ideal for pre-wash before applying polish

AUTOSOL SHOWROOM POLISH

Brings back "that new look" to dull paintwork, plastic, alloy and bright metals. Leaves the treated area protected by a thin layer of wax/resin. Ideal on custom paintwork and delicate metals. Does not smear or stick.

AUTOSOL WATERLESS CLEAN & POLISH

Simply apply and wipe off dirt in one go! Unique formulation encapsulates the dirt on the shining cloth leaving a scratch and watermark-free, clean, polished, protected surface. Suitable for use on alloy, metal, paintwork, plastic and rubber.

HOLTS MOTORCYCLE SHAMPOO

Powerful yet mild detergency which washes away road grime. Leaves a non-smear deep gloss shine

HOLTS MOTORCYCLE WAX POLISH

Provides a brilliant high gloss finish. Special sealants lock in the shine and protect the paintwork.

HOLTS CHROME & ALUMINUM POLISH

Cleans and shines all chrome and aluminium surfaces. Protects against further pitting and blemishes

HOLTS MOTORCYCLE DEGREASER

Formulated to remove grease and eliminate tar from engines, chains and metal parts

HOLTS ANTI-MIST & WATER REPELLENT

Special 2-in-1 formula ensures perfect visibility in the rain. Prevents both mist and water droplets forming on helmet visors.

HOLTS MOTORCYCLE WHEEL CLEANER

Fast and powerful foaming action that reduces road grime, grease and damaging brake dust. Suitable most wheel types

HOLTS MOTORCYCLE BUG SHIFTER

Highly effective wipe on, wipe off formula. Removes insects and other deposits from plastic fairings.

LEATHER CLEANER

As used by Carl Fogarty. Ideal treatment for motorbike leathers, car, aircraft interiors office and home furnishings, luggage, footwear plus much more

LATEX GLOVES

Latex Gloves surpassing internationally recognised standards



DESCRIPTION		ORDER REF
Granville Brake Cleaner	500ml	SPBC
Granville Carb Cleaner	500ml	CC400
Gunk Engine Degreaser	500ml	GUNK
Autosol (12 per Box)	75ml	SOAS
Autosol Liquid Chrome Cleaner	250ml	SOLCC
Autosol Dirtlifter	1 Litre	SODL
Autosol Showroom Polish	250ml	SOSP
Autosol Waterless Clean & Polish	500ml	SOWCP
Holts Motorcycle Shampoo	250mL	HMC1
Holts Motorcycle Wax Polish	250ml	HMC2
Holts Chrome & Aluminium Polish	250ml	HMC3
Holts Motorcycle Degreaser	300ml	HMC5
Holts Anti-Mist & Water Repellent	300ml	HMC6
Holts Motorcycle Wheel Cleaner	375ml	HMC8
Holts Motorcycle Bug Shifter	375ml	HMC9
Leather Cleaner		LC1
Latex Gloves (100 per box)	Large	LGB



PRO-CLEAN PRODUCTS

PRO - CLEAN

Pro Clean is a unique blend of fully biodegradable chemicals designed to clean every part of the exterior of your race machine. The intelligent chemical formulation releases the correct level of active cleaning agents to ensure perfect results every time from mud covered rally cars to the most refined precious metals and carbon fibre components of delicate racing cycles.

1 Litre with trigger	PCCL1
5 Litre	PCCL5
25 Litre	Please telephone for details



PRO - CARE

Pro-Care is a blend of lubricants and low evaporation penetrating oils, designed to displace water from the hidden places where rust and corrosion may occur between washes and after poor weather.

1 Litre	PCCA1
5 Litre	PCCA5
25 Litres	Please telephone for details



PRO - TECTION

Pro Tection is completely unique & revolutionary water based corrosion inhibitor, which leaves a microfilm coating designed to protect against road salt, rust and general corrosion attacks from the elements. Pro Tection can be sprayed safely over any surface. Once dry it leaves a molecular film which protects the treated surface. Pro Tection does not effect brake discs or other brake components

1 litre	PCT
5 & 25 Litres	Please telephone for details



PRO - DEGREASER

Pro Degreaser is a specially designed and blended formulation, perfectly balanced to remove grease and dried oil build up on chains, sprockets, spindles, engines etc. Heavily soiled components can be immersed in the De Greaser fluid and left until corrosion and soiling is removed from the surface

1 Litre	PCD1
5 & 25 Litres	Please telephone for details



PRO - FILTER

Pro-Filter is another favorite and one of our best sellers. Pro-Filter is designed to remove dirt and tacky oil from all types of foam air filters. Simply immerse the dirty filter in the solution and squeeze gently to remove the tacky oil, then wash the filter in a bucket of warm water with a splash of Pro-Clean to remove any remaining dirt or dust, finally dry thoroughly before re-using the filter.

5 Litre	PCF5
---------	------



PRO-FILTER KIT

Filter Kit includes everything you need to clean and prepare foam filters. Contained in a 20 LTR CLEANING BUCKET

The kit contains

- 5 Ltr Pro Filter
- Dirt Catching Tray
- Filter Prep Bucket
- Heavy Duty Nitrile Gloves

PRO-FILTER KIT	PCFCK
----------------	-------



MEGA SPRAY

Mega Spray is an extending trigger for the 5 Ltr containers allowing the user to simply carry and spray

MEGA SPRAY	PCJ
------------	-----



PRO-CLEAN PRODUCTS

BUC - KIT

The complete cleaning kit. Buc - Kit contains all you need to keep your motorcycle in superb condition.

The kit contains:

- 1 Litre Pro - Clean
- 1 Multi purpose super brush
- 1 finishing cloth
- all contained in a 5 Litre bucket
- 1 500ml Pro - Tect
- 1 Big handful sponge

BUC - KIT

PCBK



RACE PACK

Whats In The Box:

- 1 Ltr Pro Clean
- 400ml Super Lube
- 400ml Chain Lube
- 400ml De Greaser
- Chamois
- 250ml Tyre Lube
- 500ml Hand Scrub
- Big Handful Sponge
- Detail Brush

RACE PACK

PCRP



PIPE GEL

Pipe Gel is specifically designed to remove rust and corrosion from untreated steel race pipes. The pipe must be removed from the machine prior to the application of Pipe Gel as it will cause damage if in contact with aluminium surfaces.

Pipe Gel is brush applied and goes to work immediately dissolving rust and corrosion, agitate gently if required, leave for a few minutes then simply wipe away with industrial paper towel or wash off with clean water.

PIPE GEL

PCPG

PIPE PREP KIT

The kit contains

- 250ml Pipe Gel
- Application brush
- 1 pr Nitrile Gloves
- 250grms Premium Exhaust Packing
- Abrasive Scourer
- 1 Bucket

PIPE PREP KIT

PCPK

CHAIN LUBE

This high performance chain lube is a scientifically developed lubricant designed for all open chains

The formulation of the lubricant allows for the penetration of the inner roller area and prevents throw-off at high speed. Clear polymer chain lube protects against corrosion reduces power loss and is proven to prolong chain and sprocket life.

400ml

PCCH



TYRE LUBE (SOAP)

Tyre Lube...Tyre fitting with ease! This revolutionary tyre fitting gel takes all the effort out of fitting a tyre.

Tyre Lube leaves no unsightly paste stains and the tyre slips on quickly and easily. The unique quick drying, non corrosive formulation is perfectly safe on all types of tyres and rims

250ml

PCTL

2.5 Litre

PCTL25

